

Shiraiwa, T.

Automatic Control System for Electrode Probe  
Microanalysis.

TETSU TO HAGANE, Vol. 58, 1972, No. 11, P. S465.

PHB 9070

Nakao, T.

Automatic gas chromatographic analysis  
of blast furnace and coke-oven gases.  
TETSU TO HAGANE, Vol 58, 1972, #11,  
Lecture 181; page S466  
HB 8955

may 73



Figure 1.

A Study of Air Cooling. Part IV. The  
Coefficient and Effect of Water Evaporation on  
Air Cooling.

TATSU TO HAGANE, Vol. 58, 1972, No. 11, Sec.

228, 229, p. 8513, 8514.

HB 8827-II

Hamada, T. et al

Investigation of the Sintering Process by Mathematical Simulation.

TETSU TO HAGANE, 1972, Vol. 58, No. 12, pp.1567  
1578.

BISI 10927

FORGED FROM DOCUMENT NO. 11, 1971, NO. 12, 97 154-4632;  
TETSU TO HANAME, 7/21 1971, NO. 12, 97 154-4632;  
HS-8934

April 73

Florida, R.

Controlled Rolling of Iron Castings. Metallurgical Engineering, 1972, Vol. 53, No. 13, p. 183-184. 11799

Matsubara, H. et al

Investigation of Metallurgical Factors in the  
Controlled Rolling of High Strength Steel  
Plate Having High Toughness.

TETSU-TO-HAGANE, 1972, Vol.58, No.13, Pp.1848.

\*BTST II501

Obara, R.

The Refinement of the Microstructure of Silicon-Manganese High-Strength Steel.

TETSU-TO-HAGANE, 1972, Vol. 58, No. 13, P.1893


BISI 11500

Matsuzawa, T.

A Comparison of X-Ray Fluorescence and Emission  
Spectrometric Analyses of Pig Iron,  
TETSU TO HAGANE, Vol. 58, 1972, No. 24, pp. 2049-  
2059.

HB 8963

Effect of Microstructure on Hydrogen Diffusion in  
3.0 Steel on Diffusion of Hydrogen at Room  
Temperature.  
TETSU TO HAGANE, Vol. 59, 1972, No. 11, Sec. 281  
p. 8567.  
HB 9170




Matsunaga, K.

Re-oxidation of liquid steel by air and formation  
of large inclusions in continuous casting.

TETSU TO HAGANE, vol. 59, 1973, #1, pp. 72-84

HB 8982

may 73



Fukuda, N.

Production of Titanium-Stabilized Extra-Low  
Carbon Steel for Deep Drawing

TEISU TO HAGANE, Vol. S9, 1973, No. 2, pp.231-  
240.

HB 8995

Nakagawa, K.

Studies of the ARIM (Japan) Continuous Sewer-  
making Process.


TETSU TO HAGANE, Vol. 59, 1973, No. 3, pp. 414-28

HB 9026

Terada, M. et al.  
Development of an Air-Gap Meter for Continuous  
Casting Molds.  
TERUO TO HAGANE, Vol. 59, 1973, No. 4, Lecture  
83, p. 885.  
HB 9096

SCOPE OF MOD 810 ROUTING  
Classification Structure  
PERSU TO HAGANE, Vol. 68, 1973, No. 4, Dec. 76-79.  
PP S78-S81.  
HB 9098

Analysis of Experimental Castings  
TETSU TO HAGANE, Vol. 59, 1978, No. 4, Loc. 76-79  
pp. S78-S81.  
HB 9098



RESEARCH CONDITIONS ON STIMULATING THE  
EXPRESSION OF STARS  
TETSU TO HAGANE, Vol. 59, 1973, No. 4, pp. 76-79.  
DD-S78-S81  
HB 9098

Mitsushima, Shozo et al

Production of Clean Steel on a Continuous Casting  
Machine.

TETSU TO HAGANE, Vol. 59, 1973, No. 4; Lecture 89.


p. 891.

HB 9109

Murakoshi, T. et al

Effect of Small Amounts of Addition Elements  
on the High-Temperature Properties of Stain-  
less Steels.

TETSU TO HAGANE, Vol. 59, 1973, No. 4, Dec. 99,  
182, pp. S101 and S184.  
HB 9143




Kato, T. et al.

Deoxidation Control by Various Means, Pt. 1.  
Deoxidation Control of Semi-killed Steel by  
Means of the Oxygen-Concentration Cell.

TETSU TO HAGANE, Vol.59, 1973, No.4, Leo. 104,  
105, pp.S106, S107.

HB 9168



Ichikawa, H. et al.

A New Deoxidizing Technique of Molten Steel by  
Use of Aluminum, Pt. II - Deoxidation of Steel  
with Use of Aluminum Bullets.

TETSU TO HAGANE, Vol. 69, 1973, No. 4, Sec. 107,  
p. 8109.

HB 9172


Kato, Ch.

Corrosion Resistance of S.S. Resistance-Weld-  
ed Steel Pipe. Pt. I - Groove Corrosion (Along  
the Weld) in Resistance-Welded Steel Pipe.  
TETSU TO HAGANE, Vol. 59, 1973, No. 4, Pages 118,  
119, 120, pp. S120, S122, S121.  
HB 9148


Otaguro, Y.

Corrosion Resistance of H.F. Resistance Weld-  
ed Steel Pipe. Pt. II - Effect of Alloying Ele-  
ments on Pitting Corrosion in H.F. Resistance-  
Welded Low-Alloy Steel Pipe.

TETSU TO HAGANE, Vol. 59, 1973, No. 4, Lecc. 118,  
119, 120, pp. S120, S121, S122.  
HB 9148



TEMPERATURES.  
TETSU TO HAGANE, Vol. 89, 1978, No. 4, Pages 213  
and 131, pp. S132 and S133.  
HB 9170




Ikano, T. et al

High-Strength Steel for High Heat Input  
Welding.

Pt. I - Prevention of Grain Growth in High  
Heat Input Welding.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.145-  
149, 5149-5151.

HB 9151



Takahashi, Y.

Fine Grained Heat Affected by High Heat Input  
Welds.

TESTS TO HAGANE, Y1.59, 1973, No. 8, Loc. 148-  
149, S148-S151.

HB 9151

gen on Creep - RDP 91-00772R000100540012-5  
TETSU TO HAGANE, Vol. 50, 1973, No. 1, pp. 172-174  
HB 9150

Rupture strength of 171 in steel containing  
Nitrogen.  
TETSU TO HAGANE, Vol. 59, 1973, No. 4, Pages 69-  
172. pp. S171-S174.  
HE 9150

Steel Alloys with Tensile Strengths  
TETSU TO HAGANE, Vol. 59, 1973, No. 8, Pages 168-  
174, pp. S171-S174.  
HB 9150

tion and heat treatment of chemical compound.  
Rupture strength of 12% Cr steel.  
TETSU TO HAGANE, Vol. 59, 1973, No. 4, p. 169.  
172, pp. S171-S174.  
HB 9150

KAWAI, M.

//TETSU TO HAGANE//

--/--/1973, V0059, N0004,

Study of 12% Chromium Steel for Steam Turbine Rotors,  
pp S171-S174, HB Trans. 915000

Kubotera, H.

A Study of Continuous Annealing of Steel Sheet

Pt. I - Effect of Pre-Cooling Rate and Overaging Temperature in Accelerated Overaging

Pt. II - Effect of Hot Coiling upon Softening and  $r$  Values of Sheet overaged by Accelerated Cycling. Pt. III - Press Formability of Steel Sheet by Accelerated Overaging.

TETSU TO HAGANE, Vol. 59, 1973, No. 4, Lecs. 188, 189, 190, pp. S190, S191 and S192.

HB 9169

Habu, R. et al

Hardenability of Aluminum-Boron-Nitrogen Steels  
Pt. I - Boron Content Ensuring Good Hardenabi-  
lity.

TETSU TO HAGANE, Vol. 59, 1973, No. 4, Secs. 210,  
211, 212, pp. S212, S213, S214.  
HB 9144

Hard, R. et al.  
Hardenability of Aluminum-Boron-Nitrogen Steels  
Pt. II - Optimum Amount of Aluminum and Boron  
for Improved Hardenability.  
TETSU TO HAGANE, Vol. 59, 1978, No. 4, Pgs. 210,  
211, 212, pp. S212, S213, S214.  
HB 9144

Adm. R. 85 211

Hardenability of Aluminum Boron Nitrogen Sulfate  
Pt. III - Hardenability Improved by a Double  
Quench.

TETSU TO HAGANE, Vol. 55, 1973, No. 4, Lecs. 210,  
211, 212, pp. S212, S213, S214.  
HB 9144



Tanaka, H. et al

Pt. II - Effect of Carbon Content on Results of  
Sulfur Analysis.

TETRA TO MARCH, Vol. 59, 1972, No. 4, Locs. 223,  
221, 222, pp. S225, S223, and S224.  
HB 9145

SATO, K. et al.  
X-Ray Fluorescence Analysis of Lead-210 by  
Use of a Fusion Technique  
TETSU TO HAKANE, Vol. 59, 1973, No. 4, Sec. 228,  
p. 5230.  
HB 9149

Niimi, Y. et al


X-Ray Fluorescence Analysis of Iron Ores and Steels. Pt. I - X-Ray Fluorescence Analysis of Trace Elements in Iron Ores Using Tused Samples.


TETSU TO HAGANE, Vol. 59, 1973, No. 4, Lees. 229 and 230.

HB 9147

Kawamura, K. et al

X-Ray Fluorescence Analysis of Iron Ores and  
Steels. Pt. II - Automatic Correction in X-  
Ray Fluorescence Analysis of Steels.  
TETSU TO HAGANE, Vol. 59, 1973, No. 4, Pages 229  
and 230.  
HB 9147





Reference: 1.

Use of the Cold Storage Method in the  
Analysis of Documented Information in the  
T-201 PC File, Vol. 1, 1952, No. 1, pp.  
2080-2086.  
HB 8964

Apr. 17, 1973


Examination in Contemporary - Cont. 1973-1974

Signal 210000

WEEKLY TO HAZARD, Vol. 59, 1973, No. 4, 1973, 4

p. 884

HB 9108



Suzuki, Y. et al

Quality Improvement of Continuously-Cast  
Aluminum-Filled Steel for Cold Rolling.  
TERBU TO HAGANE, Vol. 59, 1973, No. 4, Lec. 88;  
P. 890.  
HB 9106

Quantity, and Composition of Nonmetallic Inclusions  
in Al-Si-Killed Low-Carbon Steel Slabs.  
TETSU TO HAGANE, Vol. 59, 1973, No. 4, Fac. 90 and  
91; pp. 892-893.  
HB 9107

Kumai, H. et al

Continuous Casting of Cold Rolling Slabs on an Arc-Type Caster. Part I - Surface Defects of Cold-Rolled Low Carbon Aluminum-Silicon-Killed Steel Sheet.

TETSU TO HAGANE, Vol. 59, 1973, No. 4, Sec. 90 and 91; pp. S92-S93.

HB 9107

KINOSHITA, Y.  
//TENSU TO HAGANE//  
--/--/1973, V0050, K0004,  
Detection of Crack Propagation in Hydrogen-Delayed  
Cracking by Use of Acoustic Emission,  
P 8871, HB 025066

Endo, Y.

Correction for Background in the Atomic Absorption Analysis of Iron and Steel.

TETSU TO HAGANE, Vol.59, 1973, No.6, pp.800-807.

HB 9073

Sayama, S.

Manufacture of Pre-Reduced Pellets with the Use  
of Slag-Forming Materials.  
TETSU TO HAGANE, Vol. 59, 1973,  
No. 8, pp. 1069-1077  
HB 9091

Steel surface in Direct Contact.  
TETSU TO HAGANE, Vol.59, 1973, No.9, pp.1245-  
1250.  
HB 9161

Suzuki, H.

Effect of Titanium on the Behavior of Carbon  
in Alpha Iron.

TETSU TO HAGANE, Vol.59, 1973, No.10, pp.1400-  
1405.

HB 9160

TANAKISHI, S.

//TETSU TO HAGANE//

--/--/1978, V0050, U0011,

Solidification of Steel Slabs in Continuous Casting,  
Parts I and II,

pp 8376-8377, IB 088600

Yanagishi, H. et al

The Alloy Layer on Aluminized Steel Produced  
by High-Temperature Heating.

TETSU TO GAGANE, Vol. 59, 1973, No. 11, Dec. 172,

p. S548.

HB 9255

Niimi, Y.

Determination of Columbian Carbonitride in  
High-Strength Steel.

TETSU TO HAGANE, Vol.59, 1978, No.11, Ltc.351

p.5628.

HB 9261

Ito, K. et al

Measurements of Strain-Produced Martensite by  
Use of a Vibrating Magnetometer.

TETSU TO HAGANE, Vol.59, 1978, No.11, Leo.392,  
p.8689.

HB 9254

Kawai, N. et al

Heat Treatment of Nitrogen-Alloyed High-Speed  
Steels Produced by Powder Metallurgy.

TETSU TO HAGANE, Vol.59, 1978, No.11, Lec.401,  
p.8578.

HB 9253

Matsuo, T.

Effect of Nitrogen, Boron, and Phosphorus on the  
High-Temperature Strength of 18% Cr, 10% Ni and  
18% Cr, 10% Ni, Mo Austenitic Steels Containing  
Trace Amounts of Titanium and Columbium.  
TETSU TO HAGANE, Vol. 69, 1973,  
No. 7, pp. 907-918  
HB 9092

1.  
//TETSU TO HAGWAE, //  
--/--/1974, V0060, N0001  
Decoxidation of liquid iron with calcium  
silicide  
pp 45-47 HB: 9203##

7/10/79 TO HAZARD  
--/--/1979, 79058, 89882  
Solidifying shell thickness determined by  
river Pin shooting on continuously cast steel  
slabs  
PP 206-216 HB 8742-B#

MOGI, T.  
//RESEARCH REPORT KAGAKU//  
---/1968, V---, NO 22,  
The Effects of Diesel Exhaust Gas on the Body.  
Report No. 1. Environmental Survey,  
PP 1-25, ITC 74-~~10952~~-06100  
10952

TANAYANI, K.

//TEL-TO HGOO KANATH//

---/---/1969, V---, NO023,

The Effects of Diesel Exhaust Gas on the Body.  
Report No. 2. An Analysis of Pulmonary Function  
Tests,

pp 1-11, NTC 74-10953-06R00

MESSELS, J.

//TEX//

---/1966, V0025, N0002,

The Physiological Properties of Clothing made from  
Tricot Fabrics,

pp 118-121, NTC 74-11090-11E00

Agency: HDB  
P.O.No. S-435488-74

~~CONFIDENTIAL~~  
9249/1825  
24 June 1974

Title: Reforne Hospitaliers

Author:-----

Source: Textes d'Interet General, Journal Officiel  
# 71-3, December 1970, ppl-19

Language: French

Instructions: Please type double space, elite type,  
photo-ready copy.

Dostal, Z.

Some Remarks on the Textile Assortment in France

TEXTIL. PRAGUE, v. 18, 1963, p. 459-460

IPC 73-11925-11E

Einsele, H.

*Studies on the mechanism of action of flameproofing  
agents for cellulose fibers.*

TEXTIL-IND, Vol 72, No 12, 1970, pp 984-990

A T S 1551-GJ

Fourne, F.

Experience in the hot setting of completely  
synthetic fibers. Part VII.

TEXTIL-PRAKIS, Vol. 12, 1957, p. 1014-1019

TC TC-12609

Fourne, F.

Experience in hot setting of completely synthetic  
fibers. Part VI.

TEXTIL-PRAXIS (INTERNATIONAL), v. 12, n. 9,  
p. 898-904, 1957.

TC TC-12607

Bobek, E.

Production, properties and processing  
of polypropylene fibers.  
TEXTIL-PRAXIS, v. 16, p. 444-447, 1961  
NTC as 73-10601-11E

may 73

Parsons, P.

*The behavior of the Lyons (L.) spider under different  
bleaching conditions*

TEXTILE PRICES (INTERNATIONAL), v. 31, n. 5, 1996,

pp. 197-200

NTC 73-15147-11E

Brocher, H.

*The identification of dyestuff classes from a sample  
of the dye.*

TEXTIL-PRAXIS, Vol 21, No 4, 1966, pp 287-291

A T S 1564-GJ


MARKET SITUATION AND ANTICIPATED SYNTHETIC FIBRE  
PRODUCTION TRENDS IN GERMANY  
PP 701-704, NTC 74-11091-11100

*Lumenschloss, J.*

*Texturing machines. Part 1*

*TEXTIL-PRAXIS, Vol 23, 1968, pp 26-29*

*ATS 1588-GJ*



Kirschner, E.

The Spindless Turbine Spinning Machine SD-200,  
Applications and Recommendations for Industrial Use.  
Part II

TEXTIL-PRAXIS (INTERNATIONAL), v. 25, n. 11, 1970,  
p. 644-656


NTC 73-11919-11E

Report, D.

The changes in length, volume of PMS, PMS, PMS,  
distance and OAC as a function of the temperature  
variation and preheating.

FRITZ, FRANKS (INTERNATIONAL), Vol 27, 1972, pp 5-9  
NED 78-13435-11E

WAGNER, G.  
//TEXTIL-PRAXIS//  
---/---/1972, V0027, R0202,  
Development and Application on Carriers in Dyeing  
Polyester Fibers,  
pp 117-123, NTC 74-11010-11P39



RECEIVED  
//JAN 11 1972//  
--//1972, 10027, 10020.  
Critical Dyeing Rate, a Technological Indicator  
of Time Economy and Levelness in Machine Dyeing,  
pp 609-616, RTC 74-10255-11400

P. Perrot


Chemical textiles and inflammability.

TEXTILES CHIMIQUES, Vol 27, No 7/8, pp 20-28,  
1971

NTC 72-15281-11E

mar 73

UNCLASSIFIED  
//TERRIBLE CHINA  
---/---/1971-10027 7/8.  
Gellatose Tri  
PP 29-34, NTC 11009-11000



Bettin, Karl

Development of Textile Industry Up to 1975 Out-  
lined, 13 pp.  
TEXTILTECHNIK, Leipzig, Vol 24, No 1, Jan 74,  
pp 17-22.  
JPRS 61483

Apr 74

Manufacture of Man-Made Fibers Discussed, 24 pp.  
TEXTILTECHNIK, Leipzig, Mar 74, pp 145-155.  
JPRS 62496

Oct 74

